

	Type	L #	Hits	Search Text	DBs
1	BRS	L2	57	("20020044305"   "20030047860"   "2890836"   "3087040"   "3253122"   "3267822"   "3269278"   "3393291"   "3486290"   "3553059"   "3596428"   "3770938"   "3976230"   "4131395"   "4154368"   "4170440"   "4199303"   "4213031"   "4376365"   "4568003"   "4631905"   "4674268"   "4725713"   "4800708"   "4854109"   "4898327"   "4983007"   "4999975"   "5027583"   "5050776"   "5139151"   "5255847"   "5335483"   "5375743"   "5376219"   "5499745"   "5575435"   "5679208"   "5727370"   "5942076"   "5964378"   "5996848"   "6003288"   "6283329"   "6311740"   "6315161"   "6472638"   "6550229"   "6598373").PN. OR ("7213383").URPN.	US-PGPUB; USPAT; USOCR
2	IS&R	L3	31	(("2583761") or ("2833909") or ("3097288") or ("3687370") or ("4090640") or ("4867346") or ("5005765") or ("5050776") or ("5531357") or ("5709317") or ("5950875")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L4	244	"222"/\$.cccls. and (pump same motor same (magnet or magnetic or magnetized or magnetizing) same (drive or driven or driver or driving or transmission or couple or coupler or coupling or coupled))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
1	2007/10/24 12:48			
2	2007/10/24 12:48			
3	2007/10/24 12:49			

	Type	L #	Hits	Search Text	DBs
4	BRS	L5	5262	pump same motor same ((magnet or magnetic or magnetized or magnetizing) with (drive or driven or driver or driving or transmission or couple or coupler or coupling or coupled or clutch))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L6	168	5 and foam	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L7	11026	foam and (pump same ((inlet or line or conduit or pipe or pipeline or supply or hose or tube or input or feed) with (valve)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L8	3953	7 and ((inlet or line or conduit or pipe or pipeline or supply or hose or tube or input or feed or outlet or output) with (heater or heated or heat or heating))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L9	135	8 and "222"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L10	630	((foam) with (dispenser or dispensing or dispensed)) and (pump same ((inlet or line or conduit or pipe or pipeline or supply or hose or tube or input or feed) with (valve)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L11	171	10 and ((inlet or line or conduit or pipe or pipeline or supply or hose or tube or input or feed or outlet or output) with (heater or heated or heat or heating))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
4	2007/10/24 17:39			
5	2007/10/24 13:15			
6	2007/10/24 14:00			
7	2007/10/24 14:52			
8	2007/10/24 13:32			
9	2007/10/24 14:54			
10	2007/10/24 14:52			

	Type	L #	Hits	Search Text	DBs
11	BRS	L12	723	((foam) with (dispenser or dispensing or dispensed)) and (pump same ((inlet or line or conduit or pipe or pipeline or supply or hose or tube or input or feed or outlet or output or delivery) with (valve)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L13	1027	((foam) with (dispenser or dispensing or dispensed)) and (pump same ((inlet or line or conduit or pipe or pipeline or supply or hose or tube or input or feed or outlet or output or delivery) with (valve) with quick or quik or kwik or connect or connectable or release or releaseable or releasable or detach or detachable or detached or detaching or remove or removeable or removable or removed or removing or separate or separable or separating or attach or attached or attachable or attaching))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
11	2007/10/24 15:17			
12	2007/10/24 15:20			

	Type	L #	Hits	Search Text	DBs
13	BRS	L14	155	((foam) with (dispenser or dispensing or dispensed)) and (pump same ((inlet or line or conduit or pipe or pipeline or supply or hose or tube or input or feed or outlet or output or delivery) with (valve) with (quick or quik or kwik or connect or connectable or release or releaseable or releasable or detach or detachable or detached or detaching or remove or removeable or removable or removed or removing or separate or separable or separating or attach or attached or attachable or attaching)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L15	34	((foam) with (dispenser or dispensing or dispensed)) and (pump same (heater or heating or heated or heat) same ((inlet or line or conduit or pipe or pipeline or supply or hose or tube or input or feed or outlet or output or delivery) with (valve) with (quick or quik or kwik or connect or connectable or release or releaseable or releasable or detach or detachable or detached or detaching or remove or removeable or removable or removed or removing or separate or separable or separating or attach or attached or attachable or attaching)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
13	2007/10/24 15:25			
14	2007/10/24 16:05			



	Type	L #	Hits	Search Text	DBs
15	BRS	L16	121	14 not 15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L17	119	11 not (14 or 15)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
17	BRS	L18	17	((foam) with (dispenser or dispensing or dispensed)) and (pump same motor same (magnet or magnetic or magnetized or magnetizing) with (drive or driven or driver or driving or transmission or couple or coupler or coupling or coupled or clutch)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
18	IS&R	L19	1762	(222/333).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L20	1715	19 not (2 or 3 or 4 or 10 or 11 or 12 or 14 or 15 or 16 or 17 or 18)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L21	1377	pump same motor same (magnet or magnetic or magnetized or magnetizing) with (drive or driven or driver or driving or transmission or couple or coupler or coupling or coupled or clutch)) same (bearing or bush or bushing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
15	2007/10/24 16:54			
16	2007/10/24 16:54			
17	2007/10/24 17:09			
18	2007/10/24 19:11			
19	2007/10/24 19:17			
20	2007/10/24 17:41			

	Type	L #	Hits	Search Text	DBs
21	BRS	L22	105	pump same motor same ((magnet or magnetic or magnetized or magnetizing) with (drive or driven or driver or driving or transmission or couple or coupler or coupling or coupled or clutch)) same ((pair or two or second or first or dual or secondary or double or doublet or twin) adj2 (bearing or bush or bushing))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
22	IS&R	L23	1096	(222/129.1).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
23	BRS	L24	102	23 and (wheel or wheeled or roller or caster)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
24	IS&R	L25	1657	(222/135).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
25	BRS	L26	1596	25 not (2 or 3 or 4 or 10 or 11 or 12 or 14 or 15 or 16 or 17 or 18 or 19)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
26	IS&R	L27	1765	((222/146.2) or (222/146.5)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
27	BRS	L28	1645	27 not (2 or 3 or 4 or 10 or 11 or 12 or 14 or 15 or 16 or 17 or 18 or 19 or 25)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
21	2007/10/24 18:14			
22	2007/10/24 18:14			
23	2007/10/24 18:15			
24	2007/10/24 19:33			
25	2007/10/24 19:33			
26	2007/10/24 19:33			
27	2007/10/24 19:33			